GENERAL INSTRUCTIONS FOR EXCEL TEMPLATE:

- 1. Do not leave blank rows above or between comments.
- 2. Do not modify or delete the instructions or the column headings (i.e. the grey areas).
- 3. Each comment must have an associated topic and recommendation.
- 4. All formatting (i.e. bullets) will be lost when this file is uploaded to the Online Comment Table.
- 5. If necessary, adjust the cell width and height in order to view all text.
- 6. Cutting and pasting comments from WORD documents cannot include hard returns (spaces between paragraphs).
- 7. If you would like to create paragraphs within a single cell, please use a proper carriage return (ALT & ENTER).

<u>TOPIC</u>	COMMENT	RECOMMENDATION
Be as specific as you think is appropriate; for example a section or page of the document, a recommendation #,	Comments should contain all the information needed for the proponent and the Board to understand the rationale for the accompanying recommendation.	Recommendations can be for the proponent or for the Board. Recommendations should be as specific as possible, relating the issues raised in the "comment" column to an action that
LUP application package, Remote Monitoring	In the Air Quality Monitoring Update dated August 23, 2017, it is stated that between the months of October to April, personnel are not at the Mine. Remote monitoring was mentioned in De Beers' community visits. However, in the LUP Renewal Package, there is only one statement about remote monitoring: "De Beers will explore ways to remotely monitor the fuel storage systems (Camera's, level transducers etc.) throughout extended care and maintenance to reduce on-site inspection requirements." (page 36 of the Extended Care and Maintenance Waste Management Plan)	

		Remote monitoring was discussed in the Snap Lake Mine Working Group Meeting 6
	SLEMA sent an information request about how De Beers will maintain the mine site without personnel on site, on August 31,2017. De Beers responded in the	on May 5, 2016, but no more details have been provided since then. It is recommended that De Beers provide a technical memorandum describing the
	,	remote monitoring to support the LUP renewal, including but not limited to environmental monitoring (air, water and
Information Request on	minimal amount of fuel on site. All buildings will be shut to prevent wildlife interactions and people getting in. The camp will be reopened prior to freshet and monitoring will recommence at that time." SLEMA apprecites the	wildlife), site water management, and site response plan under the scenarios of no personnel at the mine site during the
Remote Monitoring	information provided, but believes that more details are needed.	months of October to April.
Draft conditions for		
MV2017D0032	No concerns are raised.	